

SIEMENS



Transducers

ACUSON X150™ Ultrasound System

Release 2.0

TABLE OF CONTENTS

TABLE OF CONTENTS	2	EC9-4 Transducer	4
P4-2 Transducer	3	EV9-4 Transducer	5
CH5-2 Transducer	3	VF10-5 Transducer	5
P8-4 Transducer	4	VF13-5 Transducer	6



P4-2 Transducer

Frequency Bandwidth:	2 – 4 MHz
Compatible with:	ACUSON X300™ ultrasound system SONOLINE G40™ ultrasound system
Exam Types:	Abdomen, Adult Echo, Emergency Medicine, OB/GYN, Renal, Transcranial

Design Attributes:

- Wide bandwidth phased array transducer
- User-selectable MultiHertz™ multiple frequency imaging
- Ergonomically designed form factor
- Lightweight transducer with flexible cable

* TCD - Transcranial



CH5-2 Transducer

Frequency Bandwidth:	2 – 5 MHz
Compatible with:	ACUSON X300 ultrasound system SONOLINE G40 ultrasound system SONOLINE G60 S™ ultrasound system r10.0
Exam Types:	Abdomen, Emergency Medicine, Fetal Echo, OB/GYN, Renal, Urology

Design Attributes:

- Wide bandwidth curved array transducer
- User-selectable MultiHertz imaging
- Ergonomically designed form factor
- Lightweight transducer with flexible cable



P8-4 Transducer

Frequency Bandwidth:	4 – 8 MHz
Compatible with:	ACUSON X300 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Neonatal Head, Pediatric Abdomen, Pediatric Echo, Renal

Design Attributes:

- Wide bandwidth phased array transducer
- User-selectable MultiHertz imaging
- Ergonomically designed form factor
- Lightweight transducer with flexible cable



EC9-4 Transducer

Frequency Bandwidth:	4 – 9 MHz
Compatible with:	ACUSON X300 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	OB/GYN, Urology

Design Attributes:

- User-selectable MultiHertz imaging
- Ergonomically designed form factor
- Lightweight transducer with flexible cable



EV9-4 Transducer

Frequency Bandwidth:	4 – 9 MHz
Compatible with:	ACUSON X300 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Emergency Medicine, OB/GYN

Design Attributes:

- Wide bandwidth endovaginal transducer
- User-selectable MultiHertz imaging
- Lightweight transducer with flexible cable



VF10-5 Transducer

Frequency Bandwidth:	5 – 10 MHz
Compatible with:	ACUSON X300 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Breast, Cerebrovascular, Emergency Medicine, Musculoskeletal, Pediatric Hip, Peripheral Vascular, Testicle, Thyroid

Design Attributes:

- Wide bandwidth linear transducer
- Virtual format imaging
- 2D beam steering
- User selectable MultiHertz imaging
- Ergonomically designed form factor
- Lightweight transducer with flexible cable



VF13-5 Transducer

Frequency Bandwidth:	5 – 13 MHz
Compatible with:	ACUSON X300 ultrasound system SONOLINE G40 ultrasound system
Exam Types:	Breast, Cerebrovascular, Digital, Musculoskeletal, Penile, Superficial Musculoskeletal, Testicle, Thyroid

Design Attributes:

- Wide bandwidth linear transducer
- User selectable MultiHertz imaging
- 2D beam steering
- Trapezoidal imaging
- Ergonomically designed form factor
- Lightweight transducer with flexible cable

* Cerebrovascular

Frequency Bandwidth measurements
represent bandwidth at ± 20 dB.

ACUSON, G40, G60 S, X150, X300,
MultiHertz and SONOLINE are trademarks
of Siemens Medical Solutions USA, Inc.

DS 0411 | © 04.2011, Siemens Medical
Solutions USA, Inc.

Global Siemens Headquarters

Siemens AG
Wittelsbacherplatz 2
80333 Muenchen
Germany

**Global Siemens Healthcare
Headquarters**

Siemens AG
Healthcare Sector
Henkestrasse 127
91052 Erlangen
Telephone: +49 9131 84-0
Germany

www.siemens.com/healthcare

Legal Manufacturer

Siemens Medical Solutions USA, Inc.
Ultrasound
1230 Shorebird Way
Mountain View, CA 94043
USA
Telephone: 1-888-826-9702
www.siemens.com/ultrasound